



**National Fuel**<sup>®</sup>  
Supply Corporation

## **Appalachian Pooling - Rules and Policies**

Pool Confirmation Form must be submitted to:

**Commercial Services/Gas Accounting Department**

**Attn: Sherrie M. Larivey**

**Department Email: [GasAccounting\\_Supply@natfuel.com](mailto:GasAccounting_Supply@natfuel.com)**

**Department Phone: 716-857-6978**

1. ALL Appalachian meter pool addition/deletions must be made on or before 9:00 AM (central time) on the 20th day of the month preceding the desired addition/change. The pool operator must submit the Pool Operator Confirmation Form to create a new pool or make changes to an established pool.
2. Appalachian pools are established for the calendar month and month-to-month thereafter. If a pool operator desires daily pool readings, all meters in the pool must be telemetered, with real time measurement.
3. It is the Pool Operators responsibility to submit a Producer's Authorization Letter (on the Producers Letterhead) or an Email from the producer authorizing the producer's identified meter be added to the pool. However, if the producer's meter is already assigned to another pool, the producer must first have the current pool operator submit a completed Appalachian Pool Confirmation Form removing the meter from the existing pool.
4. Once a meter becomes part of an Appalachian Pool, it can no longer be nominated on as an individual meter.
5. Pool operators will be required to maintain a daily balance between production and nomination. If necessary, Nominations will be adjusted to reflect NFGSC's best estimate of associated production volumes.
6. Eligible receipt meters within a pooling zone may be pooled with other eligible receipt meters within the same pooling zone (see Appalachian Zone Descriptions).
7. The pool operator can also submit a Predetermined Allocation (PDA) Methodology Form prior to the beginning of each month. In the absence of an executed PDA, the pool will be allocated to the shippers on a pro-rata basis based upon the total dekatherms produced. The PDA applies to the total pool volumes, not the individual meters assigned to the pool. PDA Forms can be found under the Forms section of our website.



## Appalachian Pooling - Rules and Policies (Continued)

### Appalachian Zone Descriptions

Pooling Zone Name	Location	State
Appalachian Zone 1	Line N System (west of Henderson)	PA
Appalachian Zone 2	East of Henderson, west of Overbeck	PA
Appalachian Zone 3	Other NY Points not in Zone 4	NY
Appalachian Zone 4	Points interconnecting with Line X, Line YM50, or Line YM224 (between Concord and Ellisburg) or with Line YM55 or Line YM57 (between Ellisburg and Independence)	PA and NY
Appalachian Zone 5	Points interconnecting with Line Z20 or Line PY10 (between Ellisburg and Tuscarora)	PA and NY
Appalachian Zone 6	Points interconnecting with Line YM53 (between Ellisburg and Leidy)	PA
Appalachian Zone 7	Points interconnecting with Line YM52 and Line YM7 (between Ellisburg and Wharton)	PA
Appalachian Zone 8	East of Overbeck, west of Costello	PA
Appalachian Zone 9	Production flowing into Lines D & L downstream of Roystone Station to Erie	PA